



## SAFETY DATA SHEET

*compiled according to Safe Work Australia and the GHS*

Revision Date: 2-Aug-21

Printed: 2-Aug-21 11:58 AM

Page 1 of 7

### 1. IDENTIFICATION

<b>Product Identifier</b>	<b>PARTS CLEANING SOLVENT</b>
<b>Product Code</b>	1407
<b>Other Means of Identification</b>	Hydrocarbon Solvent
<b>Recommended Use of the Chemical and Restriction on Use</b>	High flash industrial solvent for cleaning machine parts
<b>Details of Manufacturer or Importer</b>	Lidomont Pty. Ltd., trading as Prolube Lubricants 15 Pinnacle Street, Brendale, Queensland, 4500
<b>Phone</b>	07 3881 1733 (+61 7 38811733 – International)
<b>Emergency Telephone</b>	000 (Australia Only)
<b>Poisons Information Centre Phone</b>	13 11 26

### 2. HAZARDS IDENTIFICATION

<b>Physical Hazard(s)</b>	<b>Classified as Hazardous</b> according to Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria. <b>Not Classified as Dangerous Goods</b> according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)
<b>Health Hazard(s)</b>	Aspiration Hazard Category 1 Skin Irritation Category 2 Specific Target Organ Toxicity (Single exposure) Category 3 – Narcotic Flammable Liquid Category 4
<b>Environment Hazard(s)</b>	Acute Aquatic Toxicity Category 3
<b>GHS Label Elements</b>	
<b>Signal Word</b>	<b>DANGER</b>

#### Hazard Statement(s)

- H227** Combustible Liquid
- H264** Wash thoroughly after handling.
- H304** May be fatal if swallowed and enters airways.
- H315** Causes skin irritation.
- H402** Harmful to aquatic life

#### Precautionary Statement(s): General

- P101** If medical advice is needed, have product container or label at hand
- P102** Keep out of reach of children
- P103** Read carefully and follow all instructions.

#### Precautionary Statement(s): Prevention

- P210** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking.
- P261** Avoid breathing dust/fumes/gas/mist/vapours/spray.
- P264** Wash contaminated skin thoroughly after handling.



## SAFETY DATA SHEET

compiled according to Safe Work Australia and the GHS

Page 2 of 7

Product Identifier: PARTS CLEANING SOLVENT

**P271** Use only outdoors or in a well ventilated area.

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary Statement(s): Response

**P302+P352** If ON SKIN: Wash with plenty of soap and water

**P312** Call a Poison Centre or doctor/physician if you feel unwell.

**P321** Specific treatment – see label.

**P332+P313** If skin irritation occurs: Get medical advice/attention.

**P362+P364** Take off contaminated clothing and wash before reuse.

**P301+P310** If SWALLOWED: Immediately call a Poison Centre or doctor/physician.

**P304+P340** If INHALED: Remove person to fresh air and keep comfortable for breathing.

**P331** Do NOT induce vomiting

**P370+P378** In case of fire: Use dry chemical, CO<sub>2</sub> or foam to extinguish.

### Precautionary Statement(s): Storage

**P403+P233** Store in a well ventilated place. Keep container tightly closed.

**P405** Store locked up.

### Precautionary Statement(s): Disposal

**P501** Dispose of contents/container as hazardous waste in accordance with local regulations.

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Component	CAS Number	Concentration
Kerosene	8008-20-6	>90
Proprietary Additives (Non-hazardous at the formulation concentration)		to 100%

## 4. FIRST AID MEASURES

**For advice, contact a Poisons Information Centre (Phone eg. Australia 131 126; New Zealand 0 800 764766) or a doctor.**

### Inhalation

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

### Skin contact

If skin or hair contact occurs, remove any contaminated clothing and wash skin and hair thoroughly with running water. If irritation occurs seek medical assistance.

### Eye contact

If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.



## SAFETY DATA SHEET

compiled according to Safe Work Australia and the GHS

Page 3 of 7

Product Identifier: PARTS CLEANING SOLVENT

### **Ingestion**

Rinse mouth with water. If swallowed, give a glass of water to drink. If vomiting occurs give further water. Do not give anything to an unconscious person. Seek medical assistance.

### **Advice to Doctor**

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

### **Suitable extinguishing equipment**

Foam, dry agent (carbon dioxide, dry chemical powder).

### **Specific hazards arising from the chemical**

On burning will emit toxic fumes, oxides of carbon and smoke.

### **Special protective equipment and precautions for firefighters**

Heating can cause expansion or decomposition of the material, which can lead to the containers exploding. If safe to do so, remove containers from the path of fire. Keep containers cool with water spray. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

Wear Safe Work Australia approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Wear protective equipment to prevent skin and eye contact. Avoid breathing in vapours. Avoid sparks and open flames. No smoking.

### **Environmental precautions**

In the event of a major spill, prevent spillage from entering drains or water courses.

### **Methods and materials for Containment and cleaning up**

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

## 7. HANDLING AND STORAGE

### **Precautions for safe handling**

Use appropriate personal protective equipment – see Section 8. Use safe work processes to avoid eye or skin contact and inhalation of vapours. Use only in well ventilated areas.

Do not store in contact with food, beverages or tobacco products. Eating drinking or smoking in areas where this product is stored or processed should be prohibited. Always wash thoroughly after handling. Wash contaminated clothing and other protective equipment before storage or reuse. Provide eyewash fountains and safety showers in close proximity to points of use.

## SAFETY DATA SHEET

*compiled according to Safe Work Australia and the GHS*

Page 4 of 7

**Product Identifier: PARTS CLEANING SOLVENT**

### **Conditions for safe storage**

Store in accordance with local regulations in a cool, dry and well ventilated area. Store in original container tightly closed and away from incompatible materials (see Section 10). Check regularly for leaks and physical damage. Opened containers should be carefully resealed and stored in an upright position. Empty containers may contain residues and be dangerous. Store and use only in equipment designed for use with this type of product. Use appropriate bunding or containment to prevent environmental contamination.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### **Engineering controls**

Engineering controls should be in place as a primary source of protection over the use of Personal Protective Equipment. Ensure adequate ventilation of the working area or provide exhaust ventilation to keep the relevant airborne concentrations below acceptable levels.

### **Individual protection measures**

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

**Eye and face protection:** If contact is likely, safety glasses with side shields are recommended.

**Skin protection:** Any specific glove information provided is based on published literature and glove manufacturer data. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include chemical resistant, nitrile or viton. Long sleeve and long pants will provide protection.

**Respiratory protection:** If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. A particulate type respirator should be considered for this material. No special requirements under ordinary conditions of use and with adequate ventilation.

For high airborne concentrations, use an approved supplied-air respirator, operated in positive pressure mode. Supplied air respirators with an escape bottle may be appropriate when oxygen levels are inadequate, gas/vapour warning properties are poor, or if air purifying filter capacity/rating may be exceeded.

**Specific Hygiene Measures:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practise good housekeeping.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance: Form</b>	Clear liquid
<b>Colour</b>	Red
<b>Odour</b>	Mild hydrocarbon
<b>Odour Threshold</b>	Not determined
<b>pH-Value</b>	Not applicable
<b>Melting point/Melting range</b>	No information available
<b>Initial Boiling Point/Boiling Range</b>	> 175 °C
<b>Flash Point</b>	> 65 °C (ASTM D-93)
<b>Flammability</b>	Non-flammable. Combustible Liquid Class 4
<b>Auto-ignition Temperature</b>	>320 °C
<b>Decomposition Temperature</b>	No information available
<b>Explosion Limits: Lower</b>	0.6 Vol % (typical)
<b>Upper</b>	7 Vol % (typical)
<b>Vapour Pressure at 20 °C</b>	No information available

## SAFETY DATA SHEET

*compiled according to Safe Work Australia and the GHS*

Page 5 of 7

**Product Identifier: PARTS CLEANING SOLVENT**

<b>Relative Density at 15 °C</b>	0.79 – 0.81
<b>Vapour Density</b>	>1
<b>Evaporation Rate</b>	No information available
<b>Solubility in Water</b>	Negligible
<b>Viscosity @ 40 °C</b>	<5 cSt

### 10. STABILITY AND REACTIVITY

**Reactivity:** Will not occur.

**Chemical stability:** Stable at ambient temperature and under normal conditions of use.

**Possibility of hazardous reactions:** Hazardous polymerization will not occur.

**Conditions to avoid:** Combustible liquid. Avoid heat, sparks, open flames and other ignition sources. Use only as directed. Store in accordance with directions given in Section 7 (Handling and storage) of this SDS.

**Incompatible materials:** Strong oxidisers.

**Hazardous decomposition products:** Material does not decompose at ambient temperatures.

### 11. TOXICOLOGICAL INFORMATION

<b>Acute Toxicity: LD50/LC50 values relevant</b>	
<i>Oral LD 50</i>	Not available
<i>Dermal LD50</i>	Not available
<i>Inhalation LC50</i>	Not available
<b>Acute Health Effects</b>	
<i>Inhalation</i>	Overexposure to vapors or mist may cause dizziness, headache, nausea, and/or other central nervous system effects including death. Avoid inhalation of mists or vapors.
<i>Skin</i>	May cause skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause irritation and dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.
<i>Eye</i>	Contact with liquid or vapours may cause irritation and reddening.
<i>Ingestion</i>	Will cause discomfort & irritation, possibly nausea. Liquid aspirated into lungs may cause chemical pneumonitis or pulmonary edema.
<b>Skin Corrosion / Irritation</b>	Based on classification principles, the classification criteria are not met
<b>Serious Eye Damage / Irritation</b>	Based on classification principles, the classification criteria are not met
<b>Respiratory or Skin Sensitisation</b>	Based on classification principles, the classification criteria are not met
<b>Germ Cell Mutagenicity</b>	Based on classification principles, the classification criteria are not met
<b>Carcinogenicity</b>	Mineral oils, highly-refined are classified by IARC as Group 3 – not classifiable as to its carcinogenicity to humans
<b>Reproductive Toxicity</b>	Based on classification principles, the classification criteria are not met
<b>Chronic Health Effects</b>	Prolonged contact with skin may cause irritation and/or dermatitis.
<b>Existing Conditions Aggravated by Exposure</b>	No information available



## SAFETY DATA SHEET

compiled according to Safe Work Australia and the GHS

Page 6 of 7

Product Identifier: PARTS CLEANING SOLVENT

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** Expected to be harmful to aquatic organisms.

**Persistence and degradability:** Base Oil component is expected to be inherently biodegradable.  
Additive components show moderate biodegradation.

**Bioaccumulative Potential:** Limited potential for bioaccumulation.

**Mobility in soil:** Low solubility and miscibility. Floats on water. Expected to migrate from water to land.

### 13. DISPOSAL CONSIDERATIONS

#### **Disposal method and Containers**

Dispose according to applicable local and state government regulations.

Empty containers may contain residue and can be dangerous. Packaging should be recycled and disposal via incineration or landfill should only be considered when recycling not possible. Do not pressurize, cut, weld, braze, solder, drill grind or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death.

#### **Special precautions for incineration or landfill**

Consult your state Land Waste Management Authority for more information. Product may be suitable for burning in an enclosed controlled burner for fuel value or disposal by incineration at very high temperatures.

### 14. TRANSPORT INFORMATION

	Australian Dangerous Goods (ADG)	International Maritime Dangerous Goods (IMDG)	International Air Transport Association (IATA)
<b>UN Number</b>	Not regulated	Not regulated	Not regulated
<b>UN Proper Shipping Name</b>	n/a	n/a	n/a
<b>Dangerous Goods Class</b>	n/a	n/a	n/a
<b>Packing Group</b>	n/a	n/a	n/a

#### **Special precautions for user**

None Available

### 15. REGULATORY INFORMATION

Classified as Hazardous according to Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

#### **Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) – Poison Schedule**

S5

#### **Australian Inventory of Chemical Substances (AICS)**

All components are listed or exempt



## SAFETY DATA SHEET

compiled according to Safe Work Australia and the GHS

Page 7 of 7

Product Identifier: PARTS CLEANING SOLVENT

**Classified as hazardous according to criteria of NOHSC**

Harmful, Irritant.

### 16. OTHER INFORMATION

Prepared by Lidomont Pty Ltd, 15 Pinnacle St Brendale QLD

#### **Revision information**

**Previous Versions:** 11-Aug-16

Date and Changes: Updated and Revised 02-Aug-21

#### **Abbreviations Used**

GHS, Globally Harmonised System of classification and labelling of chemicals

CAS, Chemical Abstracts Service (Division of American Chemical Society)

LC50, Lethal concentration 50%

LD50, Lethal dose 50%

STEL, Short Term Exposure Limit

TWA, Time Weighted Average

UN, United Nations

n/a, Not applicable

#### **Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of practice for the Preparation of Safety Data Sheets for Hazardous Chemicals – July 2020. The information and recommendations contained herein are, to the best of Prolube's knowledge and belief, accurate and reliable as of the date issued. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet. You can contact Prolube to insure that this document is the most current available from Prolube. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users.